

R REMAINS) CLOSED in to the community of	ı No
regory A. Wilson on the cover sheet with R. REMAINS) CLOSED in the community of their appropriate community. This application is suit of MPEP 1308.	Art Unit 3749 The correspondence address-this application. If not included nication will be mailed in due course. THIS ubject to withdrawal from issue at the initiative of (f).
on the cover sheet with R REMAINS) CLOSED in to other appropriate commun TS. This application is suit of MPEP 1308. 35 U.S.C. § 119(a)-(d) or en received.	the correspondence address-this application. If not included nication will be mailed in due course. THIS ubject to withdrawal from issue at the initiative of (f).
R REMAINS) CLOSED in a other appropriate community. This application is suit MPEP 1308. 35 U.S.C. § 119(a)-(d) or en received. en received in Application	this application. If not included nication will be mailed in due course. THIS ubject to withdrawal from issue at the initiative of (f).
en received. en received in Application	ı No
en received. en received in Application	ı No
en received. en received in Application	ı No
	in this national stage application from the
	a reply complying with the requirements
i. Note the attached EXAMeason(s) why the oath or o	MINER'S AMENDMENT or NOTICE OF declaration is deficient.
submitted.	
s Patent Drawing Review	(PTO-948) attached
nendment / Comment or i	n the Office action of
c)) should be written on the eader according to 37 CFR	e drawings in the front (not the back) of t 1.121(d).
of BIOLOGICAL MATER R THE DEPOSIT OF BIOL	RIAL must be submitted. Note the LOGICAL MATERIAL.
5 - - - - - - - - - -	
	Mail Date :
	Amendment/Comment
8. 🛭 Examiner's S	Statement of Reasons for Allowance
9.	
Y EXAMINES	
	his communication to file at T of this application. d. Note the attached EXAL eason(s) why the oath or easubmitted. It is Patent Drawing Review mendment / Comment or it is provided to the seader according to 37 CFR of BIOLOGICAL MATER THE DEPOSIT OF BIOLOGICAL MATER THE

DETAILED ACTION

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Allowable Subject Matter

Claims 1-9 are allowed.

The following is an examiner's statement of reasons for allowance: The primary reason for allowance is that prior art does not teach a device for emptying hot particle materials from a chamber to a transport container wherein the device includes an evacuation pipe which withdraws a mixture of air and powder from a discharge chute while materials are being discharged and feeds it back into the container to undergo heat exchange with a compressed air source extending into the interior of the container.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3749

Drawings

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: outlet part (28). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory A. Wilson whose telephone number is (571)272-4882. The examiner can normally be reached on 7 am - 4:30 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Josiah Cocks can be reached on (571) 272-4874. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3749

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GREGORY WILSON PRIMARY EXAMINER

Gaw

December 8, 2006